

LOUISVILLE WATER COMPANY  
 Bid 21-141 / Project 16232 / McMahan Area Water Main Replacement  
 Bids Opening: December 15, 2021

	Louisville Paving Company, Inc.	Basham Construction & Rental Co., Inc.	SEVEN SEAS CONSTRUCTION	MAC Construction & Excavating, Inc.
Lump Sum base bid to furnish all materials, tools, equipment & Labor, etc.. for complete project	\$ 1,800,000.0	\$ 1,927,000.0	\$ 1,945,478.43	\$ 2,350,000.0
Bid Signed	Yes	Yes	Yes	Yes
GFE Documents	Yes	Yes	Yes	Yes
Acknowledge Addendum 1 & 2	Yes	Yes	Yes	Yes
Local Preference	Yes	Yes	Yes	Yes
Bid Bond	Yes	Yes	Yes	Yes
<b>Supplementary Pricing Schedule</b>				
Items	Unit	Unit	Unit	Unit
Rock excavation by means of blasting (\$60 per cubic yard, maximum. The Company shall pay a maximum of \$60 per cubic yard of rock removed by means of blasting)	\$ 60	\$ 60	\$ 60	\$ 60
Rock excavation by mechanical means (\$125 per cubic yard, maximum. The Company shall pay a maximum of \$125 per cubic yard of rock removed by mechanical means.)	\$ 125	\$ 125	\$ 125	\$ 125
Furnish and install 4" diameter DR-18C900 PVC water main utilizing traditional trench installation techniques, complete (In pavement) (L.F.)	\$ 95	\$ 115	\$ 140	\$ 100
Furnish and install 4" diameter DR-18C900 PVC water main utilizing traditional trench installation techniques, complete (In Sidewalk) L.F.	\$ 95	\$ 110	\$ 140	\$ 100
Furnish and install 4" diameter DR-18C900 PVC water main utilizing traditional trench installation techniques, complete (In Lawn) (C.Y.)	\$ 80	\$ 90	\$ 130	\$ 90
Furnish and install 6" diameter DR-18C900 PVC water main utilizing traditional trench installation techniques, complete (In Pavement)(L.F.)	\$ 100	\$ 125	\$ 150	\$ 110
Furnish and install 6" diameter DR-18C900 PVC water main utilizing traditional trench installation techniques, complete (In Sidewalk)(L.F.)	\$ 110	\$ 120	\$ 150	\$ 110
Furnish and install 6" diameter DR-18C900 PVC water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)	\$ 90	\$ 100	\$ 140	\$ 100
Furnish and install 8" diameter DR-18C900 PVC water main utilizing traditional trench installation techniques, complete (In Pavement)(L.F.)	\$ 125	\$ 140	\$ 160	\$ 150
Furnish and install 8" diameter DR-18 C900 PVC water main utilizing traditional trench installation techniques, complete (In sidewalk) (L.F.)	\$ 125	\$ 130	\$ 160	\$ 150
Furnish and install 8" diameter DR-18C900 PVC water main utilizing traditional trench installation techniques, complete (In Lawn)(L.F.)	\$ 110	\$ 120	\$ 150	\$ 130
Furnish and install 12" diameter DR-18C900 PVC water main utilizing traditional trench installation techniques, complete (In Pavement)(L.F.)	\$ 155	\$ 175	\$ 190	\$ 190
Furnish and install 12" diameter DR-18C900 PVC water main utilizing traditional trench installation techniques, complete (In Sidewalk)(L.F.)	\$ 155	\$ 160	\$ 190	\$ 190

LOUISVILLE WATER COMPANY  
 Bid 21-141 / Project 16232 / McMahan Area Water Main Replacement

Bids Opening: December 15, 2021

Furnish and install 12" diameter DR-18C900 PVC water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)	<b>\$ 150</b>	\$ 150	\$ 180	\$ 170
Furnish and install 4" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In pavement) ( L.F.)	<b>\$ 120</b>	\$ 125	\$ 170	\$ 110
Furnish and install 4" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk) (L.F.)	<b>\$ 120</b>	\$ 120	\$ 170	\$ 110
Furnish and install 4" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)	<b>\$ 100</b>	\$ 100	\$ 160	\$ 100
Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In pavement) (L.F.)	<b>\$ 140</b>	\$ 130	\$ 190	\$ 160
Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk) (L.F.)	<b>\$ 140</b>	\$ 130	\$ 190	\$ 160
Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)	<b>\$ 130</b>	\$ 110	\$ 180	\$ 150
Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In pavement) (L.F.)	<b>\$ 120</b>	\$ 140	\$ 180	\$ 120
Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk) (L.F.)	<b>\$ 120</b>	\$ 130	\$ 180	\$ 120
Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)	<b>\$ 110</b>	\$ 120	\$ 170	\$ 100
Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)(L.F)	<b>\$ 145</b>	\$ 150	\$ 200	\$ 170
Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)(L.F)	<b>\$ 145</b>	\$ 150	\$ 200	\$ 170
Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)(L.F)	<b>\$ 140</b>	\$ 125	\$ 190	\$ 150
Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)(L.F)	<b>\$ 145</b>	\$ 150	\$ 200	\$ 160
Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)(L.F.)	<b>\$ 145</b>	\$ 150	\$ 200	\$ 160
Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)(L.F)	<b>\$ 125</b>	\$ 130	\$ 190	\$ 140
Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)(L.F)	<b>\$ 160</b>	\$ 165	\$ 220	\$ 210
Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)(L.F)	<b>\$ 160</b>	\$ 165	\$ 220	\$ 210

LOUISVILLE WATER COMPANY  
 Bid 21-141 / Project 16232 / McMahan Area Water Main Replacement

Bids Opening: December 15, 2021

Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)(L.F.)	\$ 150	\$ 150	\$ 210	\$ 190
Furnish and install 12" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)(L.F.)	\$ 200	\$ 175	\$ 220	\$ 200
Furnish and install 12" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk) (L.F.)	\$ 200	\$ 175	\$ 220	\$ 200
Furnish and install 12" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)	\$ 180	\$ 165	\$ 210	\$ 180
Furnish and install 12" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)(L.F.)	\$ 250	\$ 225	\$ 240	\$ 260
Furnish and install 12" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (InSidewalk)(L.F.)	\$ 250	\$ 225	\$ 240	\$ 260
Furnish and install 12" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)(L.F.)	\$ 220	\$ 210	\$ 230	\$ 240
Furnish and install SHORT water service adjustment (5/8" - 3/4"), complete - RELOCATES	\$ 2,200.0	\$ 1,800.0	\$ 2,500.0	\$ 2,500.0
Furnish and install SHORT water service adjustment (5/8" - 3/4"), complete - RENEW (Each)	\$ 3,800.0	\$ 1,500.0	\$ 2,400.0	\$ 2,500.0
Furnish and install SHORT water service adjustment (5/8" - 3/4"), complete - TRANSFER (Each)	\$ 3,800.0	\$ 1,200.0	\$ 2,000.0	\$ 2,000.0
Furnish and install SHORT water service adjustment (5/8" - 3/4"), complete - DISCONTINUE (EACH)	\$ 900	\$ 1,000.0	\$ 1,000.0	\$ 500
Furnish and install LONG water service adjustment (5/8" - 3/4"), complete - RELOCATE (Each)	\$ 2,700.0	\$ 3,000.0	\$ 3,000.0	\$ 3,200.0
Furnish and install LONG water service adjustment (5/8" - 3/4", complete - RENEW (Each)	\$ 2,300.0	\$ 2,800.0	\$ 2,900.0	\$ 3,200.0
Furnish and install LONG water service adjustment (5/8" - 3/4", complete - TRANSFER (EACH)	\$ 2,000.0	\$ 1,200.0	\$ 2,500.0	\$ 2,700.0
Furnish and install LONG water service adjustment (5/8" - 3/4", complete - DISCONTINUE (Each)	\$ 800	\$ 1,000.0	\$ 1,000.0	\$ 500
Furnish and install SHORT water service adjustment (1" – 2"), complete - RELOCATE (EACH)	\$ 3,000.0	\$ 3,200.0	\$ 4,500.0	\$ 4,800.0
Furnish and install SHORT water service adjustment (1" – 2"), complete - RENEW (EACH)	\$ 3,300.0	\$ 2,800.0	\$ 4,300.0	\$ 4,800.0
Furnish and install SHORT water service adjustment (1" – 2"), complete - TRANSFER (EACH)	\$ 3,000.0	\$ 1,500.0	\$ 4,000.0	\$ 4,600.0
Furnish and install SHORT water service adjustment (1" – 2"), complete - DISCONTINUE (Each)	\$ 1,200.0	\$ 1,000.0	\$ 1,200.0	\$ 750
Furnish and install LONG water service adjustment (1" - 2"), complete - RELOCATE (EACH)	\$ 3,800.0	\$ 3,800.0	\$ 5,250.0	\$ 5,200.0
Furnish and install LONG water service adjustment (1" - 2"), complete - RENEW (EACH)	\$ 4,400.0	\$ 3,500.0	\$ 5,000.0	\$ 5,200.0
Furnish and install LONG water service adjustment (1" - 2"), complete - TRANSFER (EACH)	\$ 3,800.0	\$ 1,500.0	\$ 4,800.0	\$ 5,000.0
Furnish and install LONG water service adjustment (1" - 2"), complete - DISCONTINUE (EACH)	\$ 1,500.0	\$ 1,000.0	\$ 1,500.0	\$ 750
Furnish and install SHORT water service adjustment (3"-4"), Complete - RELOCATE (Each)	\$ 6,500.0	\$ 12,000.0	\$ 6,500.0	\$ 7,000.0

LOUISVILLE WATER COMPANY  
 Bid 21-141 / Project 16232 / McMahan Area Water Main Replacement

Bids Opening: December 15, 2021

Furnish and install SHORT water service adjustment (3"-4"), Complete - RENEW (Each)	<b>\$ 6,500.0</b>	\$ 6,000.0	\$ 6,300.0	\$ 7,000.0
Furnish and install SHORT water service adjustment (3"-4"), Complete - TRANSFER (Each)	<b>\$ 6,000.0</b>	\$ 4,000.0	\$ 6,000.0	\$ 6,800.0
Furnish and install SHORT water service adjustment (3" - 4"), Complete - DISCONTINUE (Each)	<b>\$ 2,500.0</b>	\$ 2,500.0	\$ 2,200.0	\$ 1,000.0
Furnish and install LONG water service adjustment (3"-4"), Complete - RELOCATE (Each)	<b>\$ 7,500.0</b>	\$ 15,000.0	\$ 7,250.0	\$ 7,500.0
Furnish and install LONG water service adjustment (3"-4"), Complete - RENEW (Each)	<b>\$ 7,500.0</b>	\$ 9,000.0	\$ 7,000.0	\$ 7,500.0
Furnish and install LONG water service adjustment (3"-4"), Complete - TRANSFER (Each)	<b>\$ 7,000.0</b>	\$ 4,000.0	\$ 6,800.0	\$ 7,300.0
Furnish and install LONG water service adjustment (3"-4"), Complete - DISCONTINUE (Each)	<b>\$ 2,500.0</b>	\$ 2,500.0	\$ 2,500.0	\$ 1,000.0
Furnish and install SHORT water service adjustment (6") Complete - RELOCATE (each)	<b>\$ 8,500.0</b>	\$ 12,000.0	\$ 8,500.0	\$ 8,000.0
Furnish and install SHORT water service adjustment (6"), complete - RENEW (each)	<b>\$ 8,500.0</b>	\$ 7,000.0	\$ 8,300.0	\$ 8,000.0
Furnish and install SHORT water service adjustment (6"), complete - TRANSFER (Each)	<b>\$ 8,200.0</b>	\$ 4,000.0	\$ 8,000.0	\$ 7,600.0
Furnish and install SHORT water service adjustment (6"), complete - DISCONTINUE (Each)	<b>\$ 2,500.0</b>	\$ 2,500.0	\$ 3,200.0	\$ 1,000.0
Furnish and install LONG water service adjustment (6"), complete - RELOCATE (Each)	<b>\$ 9,000.0</b>	\$ 16,000.0	\$ 9,250.0	\$ 8,500.0
Furnish and install LONG water service adjustment (6"), complete - RENEW (Each)	<b>\$ 9,000.0</b>	\$ 9,000.0	\$ 9,000.0	\$ 8,500.0
Furnish and install LONG water service adjustment (6"), complete - TRANSFER (Each)	<b>\$ 8,500.0</b>	\$ 4,000.0	\$ 8,800.0	\$ 8,100.0
Furnish and install LONG water service adjustment (6"), complete - DISCONTINUE (Each)	<b>\$ 2,500.0</b>	\$ 2,500.0	\$ 3,500.0	\$ 1,000.0
Furnish and install SHORT water service adjustment (8"), complete - RELOCATE (Each)	<b>\$ 9,000.0</b>	\$ 16,000.0	\$ 10,500.0	\$ 10,000.0
Furnish and install SHORT water service adjustment (8"), complete - RENEW (Each)	<b>\$ 9,000.0</b>	\$ 8,500.0	\$ 10,300.0	\$ 10,000.0
Furnish and install SHORT water service adjustment (8"), complete - TRANSFER (Each)	<b>\$ 8,500.0</b>	\$ 4,500.0	\$ 10,000.0	\$ 9,600.0
Furnish and install SHORT water service adjustment (8"), complete - DISCONTINUE (Each)	<b>\$ 2,500.0</b>	\$ 2,500.0	\$ 4,200.0	\$ 1,500.0
Furnish and install LONG water service adjustment (8"), complete - RELOCATE (Each)	<b>\$ 11,000.0</b>	\$ 17,000.0	\$ 11,250.0	\$ 11,000.0
Furnish and install LONG water service adjustment (8"), complete - RENEW (Each)	<b>\$ 11,000.0</b>	\$ 9,500.0	\$ 11,000.0	\$ 11,000.0
Furnish and install LONG water service adjustment (8"), complete - TRANSFER (Each)	<b>\$ 10,000.0</b>	\$ 4,500.0	\$ 10,800.0	\$ 10,600.0
Furnish and install LONG water service adjustment (8"), complete - DISCONTINUE (Each)	<b>\$ 3,500.0</b>	\$ 2,500.0	\$ 4,500.0	\$ 1,500.0
Furnish and install 6" fire hydrant, complete (Short) (EACH)	<b>\$ 7,500.0</b>	\$ 7,500.0	\$ 7,500.0	\$ 5,000.0
Furnish and install 6" fire hydrant, complete (Long) (EACH)	<b>\$ 8,500.0</b>	\$ 8,500.0	\$ 9,500.0	\$ 6,500.0
Preconstruction Valve Inspection (EACH)	<b>\$ 500</b>	\$ 100	\$ 750	\$ 500
Valve excavation and backfill (including backfill, compaction, and pavement restoration) (EACH)	<b>\$ 2,200.0</b>	\$ 1,200.0	\$ 3,000.0	\$ 3,500.0
Replace existing valve with new valve (Valve Furnished by CONTRACTOR) - 4"	<b>\$ 3,500.0</b>	\$ 2,500.0	\$ 3,800.0	\$ 3,500.0
Replace existing valve with new valve (Valve Furnished by CONTRACTOR) - 6" Each	<b>\$ 4,500.0</b>	\$ 3,000.0	\$ 4,500.0	\$ 4,500.0

LOUISVILLE WATER COMPANY  
 Bid 21-141 / Project 16232 / McMahan Area Water Main Replacement

Bids Opening: December 15, 2021

Replace existing valve with new valve (Valve Furnished by CONTRACTOR) - 8" Each	<b>\$ 6,000.0</b>	\$ 3,500.0	\$ 6,000.0	\$ 6,000.0
Replace existing valve with new valve (Valve Furnished by CONTRACTOR) - 12" Each	<b>\$ 8,000.0</b>	\$ 7,500.0	\$ 8,500.0	\$ 9,000.0
Replace existing valve with new valve (Valve Furnished by CONTRACTOR) - 16" Each	<b>\$ 12,500.0</b>	\$ 15,000.0	\$ 11,250.0	\$ 12,000.0
Furnish and Install new valve along new main (4") Each	<b>\$ 3,000.0</b>	\$ 1,200.0	\$ 3,000.0	\$ 3,000.0
Furnish and Install new valve along new main (6") Each	<b>\$ 3,800.0</b>	\$ 1,500.0	\$ 4,000.0	\$ 4,000.0
Furnish and Install new valve along new main (8") Each	<b>\$ 4,800.0</b>	\$ 2,000.0	\$ 5,500.0	\$ 5,000.0
Furnish and Install new valve along new main (12") Each	<b>\$ 6,000.0</b>	\$ 5,000.0	\$ 7,750.0	\$ 7,000.0
Furnish and install new valve along new main (16") Each	<b>\$ 8,000.0</b>	\$ 9,000.0	\$ 10,500.0	\$ 10,000.0
Milling- Asphalt (S.Y.)	<b>\$ 8</b>	\$ 12	\$ 12	\$ 8
Paving Asphalt (S.Y.)	<b>\$ 14.5</b>	\$ 25	\$ 18	\$ 12
Concrete Sidewalk - Historical Mix (S.Y.)	<b>\$ 115</b>	\$ 125	\$ 125	\$ 115
Concrete Sidewalk (S.Y.)	<b>\$ 100</b>	\$ 110	\$ 110	\$ 108
Mobilization (Each)	<b>\$ 7,000.0</b>	\$ 2,500.0	\$ 5,500.0	\$ 7,500.0
De-Mobilization (Each)	<b>\$ 7,000.0</b>	\$ 2,000.0	\$ 2,500.0	\$ 7,500.0
Forman (per Hour)	<b>\$ 75</b>	\$ 70	\$ 72	\$ 68.94
Laborer (Per Hour)	<b>\$ 65</b>	\$ 60	\$ 45	\$ 46.7
Truck Driver (Per Hour)	<b>\$ 65</b>	\$ 62	\$ 47	\$ 45.59
Operator (Per hour)	<b>\$ 70</b>	\$ 65	\$ 60	\$ 57.82
Dump Truck (per hour)	<b>\$ 95</b>	\$ 95	\$ 105	\$ 98.23
Backhoe (per hour)	<b>\$ 70</b>	\$ 90	\$ 60	\$ 63.67
Loader (per hour)	<b>\$ 112</b>	\$ 100	\$ 80	\$ 122.78
Hoe Ram (Per Hour)	<b>\$ 130</b>	\$ 110	\$ 130	\$ 137.88
Pick-up Truck (Per hour)	<b>\$ 27</b>	\$ 35	\$ 25	\$ 23.36
Excavator (Per Hour)	<b>\$ 155</b>	\$ 125	\$ 130	\$ 207.21
Skid Steer (Per Hour)	<b>\$ 65</b>	\$ 75	\$ 75	\$ 55.29
Rosco Broom - Per Hour	<b>\$ 60</b>	\$ 75	\$ 80	\$ 47.43
Flat Bed Truck (per hour)	<b>\$ 35</b>	\$ 75	\$ 50	\$ 23.36
Flowable Fill (C.Y.)	<b>\$ 165</b>	\$ 200	\$ 155	\$ 120
Bedding Material (C.Y.)	<b>\$ 30</b>	\$ 45	\$ 35	\$ 10
Rock Backfill (C.Y.)	<b>\$ 30</b>	\$ 45	\$ 45	\$ 10
Sod Restoration (S.Y.)	<b>\$ 12</b>	\$ 15	\$ 10	\$ 7
Fencing Restoration (L.F.)	<b>\$ 65</b>	\$ 45	\$ 60	\$ 75