## 22-42 Steedly Drive Area MRRP - Evangeline Bid Opened : June 22, 2022

			Basham		
		Allterrain Paving &	Construction &	SEVEN SEAS	
PM: Eric Walls		Construction	Rental Co., Inc.	CONSTRUCTION	
Lump Sum Base Bid to furnish all materials, tools, Equipment & Labor, e	tc for				
complete Project.		\$ 485,000.0	\$ 574,000.0	\$ 519,869.74	
		Begin work within 90 days after Notice to Proceed and			
Start Completion Dates:		complete the work 360 days from date work is started.			
Bid Bond		Yes	Yes	Yes	
Good Faith Efforts Documents Submitted		Yes	Yes	Yes	
Local Preference		Yes	Yes	Yes	
Supplementary Prices					
Rock excavation by means of blasting (\$60 per cubic yard, maximum.					
The Company shall pay a maximum of \$60 per cubic yard of rock	CY				
removed by means of blasting)		\$ 60	\$ 60	\$ 60	
Rock excavation by mechanical means (\$125 per cubic yard,					
maximum. The Company shall pay a maximum of \$125 per cubic yard	CY				
of rock removed by mechanical means.)		\$ 125	\$ 125	\$ 125	
Furnish and install 4" diameter DR-18 C900 PVC water main utilizing	LF				
traditional trench installation techniques, complete - In pavement		\$ 130	\$ 125	\$ 135	
Furnish and install 4" diameter DR-18 C900 PVC water main utilizing	LF				
traditional trench installation techniques, complete - In Sidewalk		\$ 130	\$ 125	\$ 135	
Furnish and install 4" diameter DR-18 C900 PVC water main utilizing	LF				
traditional trench installation techniques, complete - In Lawn		\$ 110	\$ 100	\$ 120	
E I I I I I I I I I I I I I I I I I I I					
Furnish and install 6" diameter DR-18C900 PVC water main utilizing	LF	<b>4.60</b>	A 450	6.455	
traditional trench installation techniques, complete (In Pavement)		\$ 160	\$ 150	\$ 155	
Furnish and install 6" diameter DR-18C900 PVC water main utilizing					
traditional trench installation techniques, complete (In Sidewalk) (L.F.)	LF	\$ 160	\$ 150	\$ 155	
(L.F.)		\$ 100	ý 130	\$ 155	
Furnish and install 6" diameter DR-18C900 PVC water main utilizing	LF				
traditional trench installation techniques, complete (In Lawn) (L.F.)	LI	\$ 155	\$ 125	\$ 135	
aradicional di eriori mistanacioni teerimiques, comprete (in Eawir, (E.i.)		Ş 133	J 123	ŷ 133	
Furnish and install 8" diameter DR-18C900 PVC water main utilizing	LF				
traditional trench installation techniques, complete (In Pavement)		\$ 165	\$ 175	\$ 170	
4,,		7 -55	7 -1 -	7 0	
Furnish and install 8" diameter DR-18 C900 PVC water main utilizing	LF				
traditional trench installation techniques, complete (In sidewalk) (L.F)		\$ 165	\$ 175	\$ 170	
Furnish and install 8" diameter DR-18C900 PVC water main utilizing	LF				
traditional trench installation techniques, complete (In Lawn)		\$ 160	\$ 150	\$ 150	
Furnish and install 12" diameter DR-18C900 PVC water main utilizing	LF				
traditional trench installation techniques, complete (In Pavement)		\$ 220	\$ 225	\$ 235	
Furnish and install 12" diameter DR-18C900 PVC water main utilizing	LF				
traditional trench installation techniques, complete (In Sidewalk)		\$ 220	\$ 225	\$ 235	

Furnish and install 12" diameter DR-18C900 PVC water main utilizing traditional trench installation techniques, complete (in Lawn)  Utilizing traditional trench installation techniques, complete (					
traditional trench installation techniques, complete (in Lawn)  Furnish and install 4" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in pavement) (L.F.)  Furnish and install 4" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in pavement) (L.F.)  Furnish and install 4" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in pavement) (L.F.)  Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in pavement) (L.F.)  Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in pavement) (L.F.)  Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in pavement) (L.F.)  Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in pavement) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in pavement) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in pavement) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in pavement) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in pavement) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in pavement) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in pavement)	Furnish and install 12" diameter DR-18C900 PVC water main utilizing	15			
Furnish and install 4" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In pavement) (LF) Furnish and install 4" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk) (LF) Furnish and install 4" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF) Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In pavement) (LF) Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In pavement) (LF) Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF) Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF) Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF) Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF) Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF) Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF) Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF) Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF) Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF) Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench i		L	\$ 210	\$ 200	\$ 210
utilizing traditional trench installation techniques, complete (in pawnicut) (LF.)  Furnish and install 4" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 4" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 8" diameter estrained PC-350 ductile ir	1 / 1 (		Ų 210	Ţ 200	Ş 210
pavement) (L.F.) Firmish and install a" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk) (L.F.) Firmish and install a" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk) (L.F.) Firmish and install a" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In pavement) (L.F.) Firmish and install a" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In pavement) (L.F.) Firmish and install a" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In pavement) (L.F.) Firmish and install a" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In pavement) (L.F.) Firmish and install a" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In pavement) (L.F.) Firmish and install a" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In pavement) (L.F.) Firmish and install a" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In pavement) (L.F.) Firmish and install a" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In pavement) (L.F.) Firmish and install a" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In pavement) (L.F.) Firmish and install a" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In pavement) (L.F.) Firmish and install a" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In pavement) (L.F.) Firmish and install a" diameter PC-350 ductile iron		1 F			
Furnish and install 4" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Sidewalk) (L.F.)  Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Sidewalk) (L.F.)  Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Sidewalk) (L.F.)  Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Sidewalk) (L.F.)  Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Sidewalk) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Sidewalk) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Sidewalk) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Sidewalk) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Sidewalk) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Sidewalk) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Sidewalk) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Sidewalk) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Sidewalk) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron wate			\$ 135	\$ 150	\$ 165
utilizing traditional trench installation techniques, complete (in Sidewalk) (LF.) Furnish and install 4" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.) Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in pavement) (LF.) Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in pavement) (LF.) Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in pavement) (LF.) Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in pavement) (LF.) Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in pavement) (LF.) Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in pavement) (LF.) Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in LF.) Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in LF.) Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in LF.) Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in LF.) Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in LF.) Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in LF.) Furnish and install 8" diameter PC-350 ductile iron water main utiliz			Ų 133	Ų 130	<b>J</b> 103
Sidewalk  (LE)   Side		I F			
Furnish and install 4" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in pavement) (L.F.)  Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in pavement) (L.F.)  Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Sidewalk) (L.F.)  Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Sidewalk) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Sidewalk) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Sidewalk) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniqu			\$ 135	\$ 150	\$ 165
LEF   S125   S150			Ŷ 200	ψ 130	<b>¥ 100</b>
Size		1 F			
Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in LF)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in LF)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in LF)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in LF)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in LF)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in LF)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in LF.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in LF.)  Furnish and install 8" diameter PC-350 ductile iron water main			\$ 125	\$ 125	\$ 150
main utilizing traditional trench installation techniques, complete (in pavement) (L.F.)  Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Sidewalk) (L.F.)  Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in pavement) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in L.F.)  Furnish and install 8" diameter PC-350			Ŷ ==3	Ψ 123	<b>¥ 100</b>
pavement) (L.F.)  Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Sidewalk) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in pavement) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Pavement)(L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Pavement)(L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn)(L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in L.F.)		I F			
Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Sidewalk) (LF.)  Furnish and install 4" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Sidewalk) (LF.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in LF.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (LF.)  Furnish an			\$ 135	\$ 165	\$ 165
main utilizing traditional trench installation techniques, complete (in Sidewalk) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Sidewalk) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)  Furnish and in			Ų 100	Ų 103	<b>V</b> 103
Sidewalk  (L.F.)   \$135   \$165   \$165   \$165   \$175   \$160   \$160   \$170   \$175   \$175   \$175   \$185   \$180   \$1		1 F			
Furnish and install 4" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In pavement) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation technique			\$ 135	\$ 165	\$ 165
main utilizing traditional trench installation techniques, complete (in Lawn) (L.F.)			Ŷ 200	Ψ 200	<b>¥ 100</b>
Lawn) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In pavement) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In L.F.)  Saba		1 F			
Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In pavement) (LF)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Stidewalk) (LF.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (LF.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (LF.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Stidewalk) (LF.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Stidewalk) (LF.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (LF.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Stidewalk)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Stidewalk)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Stidewalk)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Stidewalk)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Stidewalk)  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Stidewalk)  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installati			\$ 130	\$ 135	\$ 160
utilizing traditional trench installation techniques, complete (In pavement) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In L.F.)  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In L.F.)  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In L.F.)  Salo \$150 \$175 \$180 \$190 \$195 \$190 \$195 \$190 \$190 \$190 \$190 \$190 \$190 \$			Ŷ 200	ψ 100	<b>¥ 100</b>
pavement) (L.F.) Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk) (L.F.) Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.) Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement) (L.F.) Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement) (L.F.) Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk) (L.F.) Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.) Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.) Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.) Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.) Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.) Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.) Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.) Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.) Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional tre		1 F			
Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)(L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)  Sidewalk) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Sidewalk)  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation t			\$ 165	\$ 175	\$ 175
utilizing traditional trench installation techniques, complete (In Sidewalk) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)			Ŷ 200	Ψ 27.5	¥ 273
Sidewalk) (L.F.)  Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In L.F.)  Sidewalk)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In L.F.)  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In L.F.)  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In L.F.)  Sample Sampl		1 F			
Furnish and install 6" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)(L.F)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)(L.F)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)			\$ 165	\$ 175	\$ 175
utilizing traditional trench installation techniques, complete (In Lawn) (L.F.)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)(L.F)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)(L.F)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)(L.F)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)(L.F)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF)  \$ 185 \$ 200 \$ 200  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF)			Ŷ 200	Ψ 27.5	¥ 273
(L.F.) Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)(L.F) Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)(L.F) Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)(L.F) Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement) Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement) Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk) Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)(L.F) Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques,		LF			
Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)(L.F)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)(L.F)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)(L.F)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Sidewalk)  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Sidewalk)(L.F)  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Sidewalk)(L.F)  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Sidewalk)(L.F)			\$ 160	\$ 150	\$ 170
main utilizing traditional trench installation techniques, complete (In Pavement)(L.F)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)(L.F)  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)(L.F)  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Pavement)  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Sidewalk)  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)(L.F)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Sidewalk)(L.F)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Sidewalk)(L.F)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Sidewalk)(L.F)			,	,	,
Pavement)(L.F) \$ 175 \$ 185 \$ 180  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)(L.F) \$ 175 \$ 185 \$ 180  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)(L.F) \$ 165 \$ 175 \$ 175  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)(L.F) \$ 165 \$ 175 \$ 175  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) \$ 175 \$ 190 \$ 195  Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) \$ 170 \$ 180 \$ 190  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) \$ 170 \$ 180 \$ 190  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) \$ 180 \$ 190  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) \$ 185 \$ 200 \$ 200  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) \$ 185 \$ 200 \$ 200  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) \$ 185 \$ 200 \$ 200  Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) \$ 185 \$ 200 \$ 200		LF			
Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Sidewalk)(L.F) \$ 175 \$ 185 \$ 180    Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)(L.F) \$ 165 \$ 175 \$ 175 \$ 175    Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement) \$ 175 \$ 190 \$ 195    Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Sidewalk) \$ 175 \$ 190 \$ 195    Furnish and install 8" diameter PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) \$ 170 \$ 180 \$ 190    Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) \$ 170 \$ 180 \$ 190    Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Sidewalk)(L.F) \$ 185 \$ 200 \$ 200    Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Sidewalk)(L.F) \$ 185 \$ 200 \$ 200    Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Sidewalk)(L.F) \$ 185 \$ 200 \$ 200    Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Sidewalk)(L.F) \$ 185 \$ 200 \$ 200    Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Sidewalk)(L.F) \$ 185 \$ 200 \$ 200    Furnish and install 8" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete			\$ 175	\$ 185	\$ 180
Sidewalk) (L.F) \$ 185 \$ 180  Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) (L.F) \$ 165 \$ 175 \$ 175  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement) \$ 175 \$ 190 \$ 195  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk) \$ 175 \$ 190 \$ 195  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) \$ 170 \$ 180 \$ 190  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) \$ 180 \$ 190  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) \$ 185 \$ 200 \$ 200  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk) \$ 185 \$ 200 \$ 200  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk) \$ 185 \$ 200 \$ 200			·	•	·
Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)(L.F)  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)	main utilizing traditional trench installation techniques, complete (In	LF			
Furnish and install 6" diameter restrained PC-350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)(L.F)  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)			\$ 175	\$ 185	\$ 180
Lawn)(L.F) \$ 165 \$ 175 \$ 175  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement) \$ 175 \$ 190 \$ 195  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk) \$ 175 \$ 190 \$ 195  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) \$ 170 \$ 180 \$ 190  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) \$ 180 \$ 190  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) \$ 185 \$ 200 \$ 200  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) \$ 185 \$ 200 \$ 200  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) \$ 185 \$ 200 \$ 200  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) \$ 185 \$ 200 \$ 200	Furnish and install 6" diameter restrained PC-350 ductile iron water				
Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)(L.F)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)(L.F)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)(L.F)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Sidewalk)(L.F)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Sidewalk)(L.F)	main utilizing traditional trench installation techniques, complete (In	LF			
utilizing traditional trench installation techniques, complete (In Pavement)  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Sidewalk)(L.F)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Sidewalk)(L.F)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Sidewalk)(L.F)	Lawn)(L.F)		\$ 165	\$ 175	\$ 175
Pavement) \$ 175 \$ 190 \$ 195  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk) \$ 175 \$ 190 \$ 195  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) \$ 170 \$ 180 \$ 190  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)	Furnish and install 8" diameter PC- 350 ductile iron water main				
Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)(L.F)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Sidewalk)(L.F)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF Sidewalk) (L.F)	utilizing traditional trench installation techniques, complete (In	LF			
utilizing traditional trench installation techniques, complete (In Sidewalk)  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)(L.F)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)(L.F)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)(L.F)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF)	Pavement)		\$ 175	\$ 190	\$ 195
Sidewalk) \$ 175 \$ 190 \$ 195  Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn) \$ 170 \$ 180 \$ 190  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)(L.F) \$ 185 \$ 200 \$ 200  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)(L.F) \$ 185 \$ 200 \$ 200  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF)	Furnish and install 8" diameter PC- 350 ductile iron water main				
Furnish and install 8" diameter PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Lawn)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)(L.F)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)(L.F)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF)	utilizing traditional trench installation techniques, complete (In	LF			
utilizing traditional trench installation techniques, complete (In Lawn) \$ 170 \$ 180 \$ 190  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)(L.F) \$ 185 \$ 200 \$ 200  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)(L.F) \$ 185 \$ 200 \$ 200  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF)	Sidewalk)		\$ 175	\$ 190	\$ 195
utilizing traditional trench installation techniques, complete (In Lawn) \$ 170 \$ 180 \$ 190  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)(L.F) \$ 185 \$ 200 \$ 200  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)(L.F) \$ 185 \$ 200 \$ 200  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF)					
Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Pavement)(L.F) \$ 185 \$ 200 \$ 200  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)(L.F) \$ 185 \$ 200 \$ 200  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF	Furnish and install 8" diameter PC- 350 ductile iron water main	LF			
main utilizing traditional trench installation techniques, complete (In Pavement)(L.F)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)(L.F)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF)			\$ 170	\$ 180	\$ 190
Pavement)(L.F) \$ 185 \$ 200 \$ 200  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)(L.F) \$ 185 \$ 200 \$ 200  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF)					
Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In Sidewalk)(L.F) \$ 185 \$ 200 \$ 200  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF		LF			
main utilizing traditional trench installation techniques, complete (In Sidewalk)(L.F)  Sidewalk)(L.F)  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF			\$ 185	\$ 200	\$ 200
Sidewalk)(L.F) \$ 185 \$ 200 \$ 200  Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF					
Furnish and install 8" diameter restrained PC- 350 ductile iron water main utilizing traditional trench installation techniques, complete (In LF		LF			
main utilizing traditional trench installation techniques, complete (In LF			\$ 185	\$ 200	\$ 200
Lawn)(L.F) \$ 175 \$ 190 \$ 195		LF			
	Lawn)(L.F)		\$ 175	\$ 190	\$ 195

Francish and install 12" diameter DC 250 diretile incommeter recip	1			
Furnish and install 12" diameter PC-350 ductile iron water main				
utilizing traditional trench installation techniques, complete (In	LF	ć 250	ć 22F	ć 240
Pavement) (L.F.)		\$ 250	\$ 225	\$ 240
Furnish and install 12" diameter PC-350 ductile iron water main	l l			
utilizing traditional trench installation techniques, complete (In	LF	4	4	
Sidewalk) (L.F.)		\$ 250	\$ 225	\$ 240
Furnish and install 12" diameter PC-350 ductile iron water main				
utilizing traditional trench installation techniques, complete (In Lawn)	LF			
(L.F.)		\$ 230	\$ 210	\$ 235
Furnish and install 12" diameter restrained PC-350 ductile iron water				
main utilizing traditional trench installation techniques, complete (In	LF			
Pavement)(L.F.)		\$ 260	\$ 250	\$ 250
Furnish and install 12" diameter restrained PC-350 ductile iron water				
main utilizing traditional trench installation techniques, complete (In	LF			
Sidewald)		\$ 260	\$ 250	\$ 250
Furnish and install 12" diameter restrained PC-350 ductile iron water				
main utilizing traditional trench installation techniques, complete (In	LF			
Lawn)(L.F.)		\$ 240	\$ 225	\$ 245
Furnish and install SHORT water service adjustment (5/8" - 3/4"),		·		
complete - RELOCATES	Each	\$ 2,600.0	\$ 2,100.0	\$ 2,600.0
Furnish and install SHORT water service adjustment (5/8" - 3/4"),		¥ =/000.0	Ψ =,100.0	Ψ 2,000.0
complete - RENEW	Each	\$ 2,600.0	\$ 1,800.0	\$ 2,500.0
Furnish and install SHORT water service adjustment (5/8" - 3/4"),		\$ 2,000.0	7 1,000.0	ψ 2,300.0
complete - TRANSFER	Each	\$ 1,500.0	\$ 1,200.0	\$ 2,000.0
Furnish and install SHORT water service adjustment (5/8" - 3/4"),		\$ 1,500.0	\$ 1,200.0	\$ 2,000.0
complete - DISCONTINUE	Each	ć 1 100 O	¢ 1 000 0	¢ 1 100 0
Furnish and install LONG water service adjustment (5/8" - 3/4",		\$ 1,100.0	\$ 1,000.0	\$ 1,100.0
	Each	¢ 2 000 0	¢ 2 000 0	ć 2 000 0
complete - RELOCATE		\$ 3,000.0	\$ 3,000.0	\$ 3,000.0
Furnish and install LONG water service adjustment (5/8" - 3/4",	Each	4 0 000 0	4 2 - 2 2 2	40000
complete - RENEW		\$ 3,000.0	\$ 2,500.0	\$ 2,900.0
Furnish and install LONG water service adjustment (5/8" - 3/4",	Each			
complete - TRANSFER		\$ 2,500.0	\$ 1,200.0	\$ 2,500.0
Furnish and install LONG water service adjustment (5/8" - 3/4",	Each			
complete - DISCONTINUE		\$ 1,100.0	\$ 1,000.0	\$ 1,100.0
Furnish and install SHORT water service adjustment $(1'' - 2'')$ ,	Each			
complete - RELOCATE (EACH)	20011	\$ 2,600.0	\$ 3,000.0	\$ 4,500.0
Furnish and install SHORT water service adjustment $(1'' - 2'')$ ,	eACH			
complete - RENEW (EACH)	CACIT	\$ 2,600.0	\$ 2,800.0	\$ 4,300.0
Furnish and install SHORT water service adjustment (1" – 2"),	eACH			
complete - TRANSFER (EACH)	EACIT	\$ 2,100.0	\$ 1,500.0	\$ 4,000.0
Furnish and install SHORT water service adjustment $(1'' - 2'')$ ,	eACH			
complete - DISCONTUE (EACH)		\$ 1,100.0	\$ 1,200.0	\$ 1,200.0
Furnish and install LONG water service adjustment (1" - 2"), complete	F l-			
RELOCATE (EACH)	Each	\$ 3,800.0	\$ 4,000.0	\$ 5,250.0
Furnish and install LONG water service adjustment (1" - 2"), complete		·	•	
RENEWALS (EACH)	Each	\$ 3,800.0	\$ 3,500.0	\$ 5,200.0
Furnish and install LONG water service adjustment (1" - 2"), complete		. ,	. ,	. ,
TRANSFER (EACH)	Each	\$ 2,500.0	\$ 1,500.0	\$ 5,000.0
Furnish and install LONG water service adjustment (1" - 2"), complete		1 /	, ,	1 - 7
DISCONTINUE (EACH)	Each	\$ 1,500.0	\$ 1,200.0	\$ 1,200.0
Furnish and install SHORT water service adjustment (3"-4"), Complete		+ 2,000.0	+ =,====	+ 2,2000
- RELOCATE (Each)	Each	\$ 5,500.0	\$ 14,000.0	\$ 8,500.0
Furnish and install SHORT water service adjustment (3"-4"), Complete	1	ب J,JUU.U	Ÿ 1 <del>7</del> ,000.0	٥,٥٥٥.٥
- RENEW (Each)	Each	\$ 6,000.0	\$ 6,500.0	\$ 8,250.0
Furnish and install SHORT water service adjustment (3"-4"), Complete	}	0.000.0	٥،٥٥٥,٥ ډ	٥,۷٥٥.٥ ډ
• • • • • • • • • • • • • • • • • • • •	Each	¢ 6 000 0	ć 2 000 0	¢ 0 450 0
- TRANSFER (Each)		\$ 6,000.0	\$ 3,000.0	\$ 8,450.0

	1 1			1
Furnish and install SHORT water service adjustment (3" - 4"),	Each	40.000	400000	4 0 000 0
Complete - DISCONTINUE (Each)		\$ 2,100.0	\$ 2,000.0	\$ 2,000.0
Furnish and install LONG water service adjustment (3"-4"), Complete -	Each	4	4	4
RELOCATE (Each)		\$ 7,500.0	\$ 15,000.0	\$ 9,250.0
Furnish and install LONG water service adjustment (3"-4"), Complete -	Each		4	4
RENEW (Each)		\$ 7,500.0	\$ 7,500.0	\$ 9,000.0
Furnish and install LONG water service adjustment (3"-4"), Complete -	Each			
TRANSFER (Each)		\$ 4,000.0	\$ 3,500.0	\$ 9,000.0
Furnish and install LONG water service adjustment (3"-4"), Complete -	Each			
DISCONTINUE (Each)		\$ 2,500.0	\$ 3,000.0	\$ 2,000.0
	Each			
Furnish and install SHORT water service (6"), Complete - RELOCATE		\$ 9,500.0	\$ 16,000.0	\$ 9,500.0
Furnish and install SHORT water service adjustment (6") Complete -	Each			
RENEW (each)		\$ 9,000.0	\$ 8,000.0	\$ 9,250.0
Furnish and install SHORT water service adjustment (6") Complete -	Each			
TRANSFER	Lucii	\$ 4,500.0	\$ 3,500.0	\$ 9,250.0
Furnish and install SHORT water service adjustment (6") Complete -	Each			
TRANSFER -	Lucii	\$ 8,500.0	\$ 3,500.0	\$ 9,250.0
Furnish and install SHORT water service adjustment (6") Complete -	Each			
DISCONTINUE	Lucii	\$ 2,500.0	\$ 2,500.0	\$ 2,500.0
Furnish and install LONG water service adjustment (6"), complete -	Each			
RELOCATE	Lacii	\$ 11,000.0	\$ 18,000.0	\$ 11,000.0
Furnish and install LONG water service adjustment (6"), complete -	Each			
RENEW	Lacii	\$ 10,500.0	\$ 9,000.0	\$ 10,800.0
Furnish and install LONG water service adjustment (6"), complete -	Each			
TRANSFER	Lacii	\$ 4,500.0	\$ 4,000.0	\$ 10,800.0
Furnish and install LONG water service adjustment (6"), complete -	Each			
DISCONTINUE	Lacii	\$ 2,500.0	\$ 3,500.0	\$ 3,000.0
Furnish and install SHORT water service adjustment (8"), complete -	Each			
RELOCATE (Each)	Eacii	\$ 10,000.0	\$ 18,000.0	\$ 12,250.0
Furnish and install SHORT water service adjustment (8"), complete -	Each			
RENEW	EdCII	\$ 9,500.0	\$ 9,000.0	\$ 12,000.0
Furnish and install SHORT water service adjustment (8"), complete -	Each			
TRANSFER	Eacii	\$ 4,500.0	\$ 3,500.0	\$ 12,000.0
Furnish and install SHORT water service adjustment (8"), complete -	Each			
DISCONTINUE	Eacii	\$ 2,500.0	\$ 2,500.0	\$ 4,000.0
Furnish and install LONG water service adjustment (8"), complete -	Each			
RELOCATE	EdCII	\$ 11,000.0	\$ 20,000.0	\$ 13,250.0
Furnish and install LONG water service adjustment (8"), complete -	Fach			
RENEW	Each	\$ 10,500.0	\$ 9,500.0	\$ 13,000.0
Furnish and install LONG water service adjustment (8"), complete -	Fach			
TRANSFER	Each	\$ 4,500.0	\$ 3,500.0	\$ 13,000.0
Furnish and install LONG water service adjustment (8"), complete -	Faab			
DISCONTINUE	Each	\$ 1,500.0	\$ 2,500.0	\$ 4,000.0
Furnish and install 6" fire hydrant, complete (Short) (EACH)	Each	\$ 8,500.0	\$ 8,000.0	\$ 8,500.0
Furnish and install 6" fire hydrant, complete (LONG)	Each	\$ 10,000.0	\$ 9,500.0	\$ 9,500.0
Preconstruction Valve Inspection (EACH)	Each	\$ 700	\$ 750	\$ 850
Valve excavation and backfill (including backfill, compaction, and	Faal:			
pavement restoration)	Each	\$ 2,500.0	\$ 1,500.0	\$ 3,250.0
Replace existing valve with new valve (Valve Furnished by	Fact			
CONTRACTOR) - 4"	Each	\$ 3,000.0	\$ 3,000.0	\$ 3,900.0
Replace existing valve with new valve (Valve Furnished by	Fact			
CONTRACTOR) - 6"	Each	\$ 3,200.0	\$ 4,500.0	\$ 4,800.0
Replace existing valve with new valve (Valve Furnished by	F			
CONTRACTOR) - 8"	Each	\$ 3,500.0	\$ 6,000.0	\$ 5,500.0
Replace existing valve with new valve (Valve Furnished by	F			
CONTRACTOR) - 12"	Each	\$ 8,000.0	\$ 8,000.0	\$ 7,500.0
			•	•

Replace existing valve with new valve (Valve Furnished by	- 1			
CONTRACTOR) - 16"	Each	\$ 13,500.0	\$ 15,000.0	\$ 15,000.0
Furnish and Install new valve along new main (4") Each	Each	\$ 900	\$ 1,500.0	\$ 3,000.0
Furnish and Install new valve along new main (6") Each	Each	\$ 2,000.0	\$ 1,800.0	\$ 4,000.0
Furnish and Install new valve along new main (8") Each	Each	\$ 3,500.0	\$ 2,000.0	\$ 5,000.0
Furnish and Install new valve along new main (12") Each	Each	\$ 6,500.0	\$ 5,000.0	\$ 6,500.0
Furnish and install new valve along new main (16") Each	Each	\$ 11,000.0	\$ 12,000.0	\$ 12,000.0
Milling- Asphalt (S.Y.)	SY	\$ 12	\$ 12	\$ 13
Paving Asphalt (S.Y.)	SY	\$ 16	\$ 16	\$ 30
Concrete Sidewalk - Historical Mix (S.Y.)	SY	\$ 135	\$ 125	\$ 130
Concrete Sidewalk (S.Y.)	SY	\$ 125	\$ 110	\$ 115
Mobilization (Each)	Each	\$ 5,000.0	\$ 6,000.0	\$ 5,850.0
De-Mobilization (Each)	Each	\$ 2,500.0	\$ 3,000.0	\$ 2,800.0
Supplementary Prices				
Foreman (per hour)	Hour	\$ 85	\$ 80	\$ 75
Laborer (Per Hour)	Hour	\$ 65	\$ 65	\$ 50
Truck Driver (Per Hour)	Hour	\$ 60	\$ 68	\$ 50
Operator (Per hour)	Hour	\$ 75	\$ 72	\$ 62
Dump Truck (per hour)	Hour	\$ 135	\$ 125	\$ 135
Backhoe (per hour)	Hour	\$ 90	\$ 110	\$ 100
Loader (per hour)	Hour	\$ 100	\$ 110	\$ 120
Hoe Ram (Per Hour)	Hour	\$ 145	\$ 100	\$ 145
Pick-up Truck (Per hour)	Hour	\$ 30	\$ 30	\$ 35
Excavator (Per Hour)	hour	\$ 130	\$ 125	\$ 135
Skid Steer (Per Hour)	hour	\$ 85	\$ 85	\$ 85
Rosco Broom - Per Hour	hour	\$ 85	\$ 85	\$ 90
Flat Bed Truck (per hour)	Hour	\$ 75	\$ 95	\$ 85
Flowable Fill (C.Y.)	CY	\$ 175	\$ 175	\$ 190
Bedding Material (C.Y.)	CY	\$ 45	\$ 52	\$ 48
Rock Backfill (C.Y.)	CY	\$ 45	\$ 52	\$ 48
Sod Restoration (S.Y.)	SY	\$ 12	\$ 12	\$ 12
Fencing REstoration (L.F.)	LF	\$ 55	\$ 55	\$ 65